

涡轮蜗杆减速机尺寸

(AMDSK减速机)


阿美达数控技术（江苏）有限公司

阿姆达数控技术无锡有限公司

NMRV030型号

铝壳材质 重1.2KG


速比: 5/7.5/10/15/20/25/30/40/50/60/80



NMRV040型号

铝壳材质 重2.3KG


速比: 5/7.5/10/15/20/25/30/40/50/60/80/100



NMRV050型号

铝壳材质 重3.5KG


速比: 5/7.5/10/15/20/25/30/40/50/60/80/100



NMRV063型号

铝壳材质 重6.2KG


速比: 5/7.5/10/15/20/25/30/40/50/60/80/100



NMRV075型号

铝壳材质 重9KG


速比: 5/7.5/10/15/20/25/30/40/50/60/80/100



NMRV090型号

铝壳材质 重13KG


速比: 7.5/10/15/20/25/30/40/50/60/80/100



NMRV110型号

铸铁材质 重35KG


速比: 7.5/10/15/20/25/30/40/50/60/80/100



NMRV130型号

铸铁材质 重48KG


速比: 7.5/10/15/20/25/30/40/50/60/80/100




NMRV150型号

铸铁材质 重87.8KG

速比：7.5/10/15/20/25/30/40/50/60/80/100



NMRV030参数 (铝壳 重量1.2KG)




减速机型号	输入孔径	输出孔径	电机功率	法兰直径
RV030	9mm	14mm	0.06/0.09KW	80小
	11mm			120大
			0.12/0.18KW	90小
				140大




减速机型号	方法兰边长	止口	对角螺距	输入孔径
RV030	57mm	38mm	67mm	9mm
	60mm	50mm	70mm	11mm
	90mm	83mm	104mm	11mm
	104mm	94mm	120mm	11mm



NMRV040参数 (铝壳 重量2.3KG)




减速机型号	输入孔径	输出孔径	电机功率	法兰直径
RV040	11mm	18mm	0.12/0.18KW	90小
	14mm			140大
		18mm	0.25/0.37KW	105小
				160大




减速机型号	方法兰边长	止口	对角螺距	输入孔径
RV040	60mm	50mm	70mm	14mm
	80mm	70mm	90mm	14mm
	86mm	73mm	95mm	14mm
	90mm	83mm	104mm	14mm
	104mm	94mm	120mm	11mm



NMRV050参数 (铝壳 重量3.5KG)




减速机型号	输入孔径	输出孔径	电机功率	法兰直径
RV050	11mm	25mm	0.12/0.18KW	140大
	14mm		0.25/0.37KW	105小
				160大
	19mm		0.55/0.75KW	120小
				200大




减速机型号	方法兰边长	止口	对角螺距	输入孔径
RV050	60mm	50mm	70mm	14mm
	80mm	70mm	90mm	19mm
	86mm	73mm	95mm	14mm
	110mm	85/95mm	130mm	19mm
	130mm	110mm	145mm	19mm



NMRV063参数 (铝壳 重量6.2KG)



减速机型号	输入孔径	输出孔径	电机功率	法兰直径
RV063	14mm	25mm	0.25/0.37KW	105小
				160大
	19mm		0.55/0.75KW	120小
				200大
	24mm		1.1/1.5KW	140小
				200大




减速机型号	方法兰边长	止口	对角螺距	输入孔径
RV063	60mm	50mm	70mm	14mm
	80mm	70mm	90mm	19mm
	86mm	73mm	95mm	14mm
	110mm	85/95mm	130mm	19mm
	120mm	110/120mm	145mm	22/24mm



NMRV075参数 (铝壳 重量9KG)



减速机型号	输入孔径	输出孔径	电机功率	法兰直径
RV075	19mm	28mm	0.55/0.75KW	120小
				200大
	24mm		1.1/1.5KW	140小
				200大
	28mm		2.2/3/4KW	160小
				250大




减速机型号	方法兰边长	止口	对角螺距	输入孔径
RV075	80mm	70mm	90mm	19mm
	86mm	73mm	95mm	19mm
	110mm	85/95mm	130mm	19mm
	130mm	110mm	145mm	22mm
	150mm	130mm	165mm	25mm



NMRV090参数 (铝壳 重量13KG)



减速机型号	输入孔径	输出孔径	电机功率	法兰直径
RV090	19mm	35mm	0.55/0.75KW	120小
				200大
	24mm		1.1/1.5KW	140小
				200大
	28mm		2.2/3/4KW	160小
				250大



减速机型号	方法兰边长	止口	对角螺距	输入孔径
RV090	110mm	85/95mm	130mm	19mm
	130mm	110mm	145mm	22mm
	130mm	100mm	145mm	24mm



NMRV 110参数 (铁壳 重量35KG)



减速机型号	输入孔径	输出孔径	电机功率	法兰直径
RV110	24mm	42mm	1.1/1.5KW	200大
	28mm		2.2/3/4KW	250大
	38mm		5.5/7.5KW	300大



NMRV 130参数 (铁壳 重量48KG)



减速机型号	输入孔径	输出孔径	电机功率	法兰直径
RV130	28mm	45mm	2.2/3/4KW	250大
	38mm		5.5/7.5KW	300大

