

AMDSK胀紧套尺寸表

实物图	规格		PL-A Z2	实物图	规格		PL-A Z2	
	d×D×L(mm)				d×D×L(mm)			
	18-47	20			210-275	56		
	19-47				220-285			
	20-47				240-305			
	22-47				250-315			
	24-50				260-325			
	25-50				280-355	66		
	28-55				300-375			
	30-55				320-405	78		
	32-60				340-425			
	35-60				360-455	90		
	38-63				380-475			
	38-65				400-495			
	40-65				420-515			
	42-72				440-545	102		
	42-75	460-565						
	45-75	24			规格		PL-B Z21	
	48-80				d×D×L(mm)			
	50-80				5-16	11		
	55-85				6-16			
	60-90				6.35-16			
	65-95				7-17			
	70-110				8-18			
	75-115				9-20	13		
	80-120				9.53-20			
	85-125				10-20			
	90-130	11-22						
	95-135	12-22						
	100-145	14-26			17			
	105-150	15-28						
	110-155	16-32						
	120-165	17-35			21			
	125-170	18-35						
	130-180	19-35						
	140-190	20-38						
	150-200	22-40						
	160-210	24-47			26			
	170-225	25-47						
	180-235	25.4-47						
	190-250	28-50						
	200-260	30-55						
		32-55						


不包含螺丝高度

不包含螺丝高度





实物图	规格		PL-B Z21	实物图	规格		PL-C Z11			
	d×D×L(mm)				d×D×L(mm)					
	35-60	31			80-100	96				
	38-65									
	40-65									
	42-75									
	45-75	36			95-120	102				
	48-80				100-125	107				
	50-80				110-140	120-155		127		
					130-165					
实物图	规格		PL-C Z11	实物图	规格		PL-D1 Z12A			
	d×D×L(mm)				d×D×L(mm)					
	8-15	24			20-47	40				
	9-16	27			25-55					
	10-16				28-55					
	11-18				30-55					
	12-18				32-60	54				
	13-23				35-60					
	14-23				38-65					
	15-24	36			40-65					
	16-24				38-75					
	17-26	38			40-75					
	18-26				42-75					
	19-27				45-75	64				
	20-28				48-80					
	22-32	45			50-80					
	24-34				55-85					
	25-34				60-90					
	28-39				65-95					
	30-41	50			70-110	78				
	32-43				75-115					
	35-47				80-120					
	38-50				85-125					
	40-53	52			90-130					
	42-55				95-135					
	45-59	64			100-145	100				
	48-62				110-155					
	50-65	74			120-165					
	55-71									
	60-77									
	65-84									
	70-90	91								
	75-95									

不包含螺丝高度

实物图	规格		PL-D1 Z12A	实物图	规格		PL-E Z1			
	d×D×L(mm)				d×D×L(mm)					
	130-180	116			35-40	7				
	140-190				36-42					
	150-200				38-44					
	160-210				40-45	8				
	170-225	42-48								
	180-235	45-52			10					
	190-250	48-55								
	200-260	50-57								
	220-285	55-62								
	240-305	56-64			12					
	260-325	60-68								
	280-355	63-71								
	300-375	65-73			14					
	320-405	70-79								
	340-425	71-80								
	360-455	75-84			17					
	380-475	80-91								
	400-495	85-96								
	420-515	90-101								
实物图	规格		PL-E Z1							
	d×D×L(mm)									
	8-11	4.5			95-106	21				
	9-12				100-114					
	10-13				105-119					
	12-15				110-124					
	13-16				120-134	28				
	14-18	6.3			125-139					
	15-19				130-148					
	16-20				140-158					
	17-21				150-168	33				
	18-22				160-178					
	19-24				170-191					
	20-25				180-201	38				
	22-26				190-211					
	24-28				200-224					
	25-30				210-234	43				
	28-32				220-244					
	30-35				240-267	48				
	32-36				250-280					
不包含螺丝高度					260-290	53				
					280-313					
					300-333					


实物图	规格		PL-E Z1	实物图	规格		PL-H1 Z3	
	d×D×L(mm)				d×D×L(mm)			
	320-360	65			18-47	31		
	340-380				19-47			
	360-400				20-47			
	380-420				22-47			
	400-440				24-50			
	420-460				25-50			
实物图	规格		PL-E2		28-55			38
	d×D×L(mm)				30-55			
	8-11	4.5	32-60		50			
	9-12		35-60					
	10-13		38-65					
	12-15		40-65					
	13-16		42-75					
	14-18	6.3	45-75			58		
	15-19		48-80					
	16-20		50-80					
	17-21		55-85					
	18-22		60-90					
	19-24		65-95					
	20-25		7	70-110	52			
	22-26			75-115				
	24-28			80-120				
	25-30			85-125				
	28-32			90-130				
	30-35			95-135				
	32-36		8	100-145	54			
	35-40	105-150						
	36-42	110-155						
	38-44	120-165						
	40-45	10	130-180	64				
	42-48		140-190					
	45-52		150-200					
	48-55	12	160-210	75				
	50-57		170-225					
	55-62		180-235					
	56-64		190-250					
	60-68	14	200-260					
	63-71		220-285					
	65-73		240-305					
	70-79		250-315					
	71-80		260-325					
	75-84							

不包含螺丝高度

实物图	规格		PL-H1 Z3	实物图	规格		PL-H2 Z3A
	d×D×L(mm)				d×D×L(mm)		
	280-355	87			140-190	84	
	300-375				150-200		
	320-405	101			160-210		
	340-425				170-225		
	360-455	116			180-235		
	380-475				190-250		
	400-495				200-260		
	420-495						
实物图	规格		PL-H2 Z3A	实物图	规格		PL-H3 Z3B
	d×D×L(mm)				d×D×L(mm)		
	19-47	39			18-47	28	
	20-47				19-47		
	22-47				20-47		
	24-50				22-47		
	25-50				24-50		
	28-55				25-50		
	30-55				28-55		
	32-60				30-55		
	35-60				32-60		
	38-65				35-60		
	40-65	38-65					
	42-75	40-65			33		
	45-75	42-75					
	48-80	45-75					
	50-80	50-80					
	55-85	55-85					
	60-90	60-90					
	65-95	65-95			40		
	70-110	70-110					
	75-115	75-115					
	80-120	80-120					
	85-125	85-125					
	90-130	90-130			44		
	95-135	95-135					
	100-145	100-145					
	110-155	62			110-155	52	
	120-165				120-165		
	130-180				130-180		
	140-190				77	140-190	
	150-200	150-200					
	160-210	160-210					

不包含螺丝高度

不包含螺丝高度

实物图	规格		PL-H3 Z3B	实物图	规格		PL-H5 Z13		
	d×D×L(mm)				d×D×L(mm)				
	170-225	64			30-55	39			
	180-235								
	190-250								
	200-260								
实物图	规格		PL-H4 Z6		实物图			规格	
	d×D×L(mm)					d×D×L(mm)			
	14-55	30				42-75		47	
	16-55								
	18-55								
	19-55								
	20-55								
	22-55								
	24-55								
	25-55								
	28-55								
	30-55								
	24-65								
	25-65								
	28-65								
	30-65								
	32-65								
	35-65								
	38-65								
	40-65								
	30-80	33				75-115		62	
	32-80								
	35-80								
	38-80								
	40-80								
	42-80								
	45-80								
	48-80								
	50-80			100-145		77			
	110-155								
	120-165								
	130-180								
	140-190	84							
	150-200								
	160-210								
	170-225								
	180-235								
	200-260								
实物图	规格		PL-H5 Z13	实物图	规格		PL-H6 Z8		
	d×D×L(mm)				d×D×L(mm)				
	18-47	39			19-47	28			
	19-47								
	20-47								
	22-47								
	24-50								
	25-50								
	28-55								

不包含螺丝高度

实物图	规格		PL-H6 Z8	实物图	规格		PL-H8 Z8B		
	d×D×L(mm)				d×D×L(mm)				
	42-75	33			28-46	26.5			
	45-75				30-48				
	50-80				32-50	27.5			
	55-85				35-57	30			
	60-90				38-60	30.5			
	65-95				40-62	31			
	70-110	42-64							
	75-115	45-67			31.5				
	80-120	48-70			32				
	85-125	50-72			32.5				
	90-130	55-77							
	95-135	60-82			33.5				
	100-145	65-87							
	110-155	70-97			36				
	120-165	75-102							
	130-180	80-107			37				
	140-190	85-112							
	150-200	54			实物图	规格		PL-Z	
	160-210				d×D×L(mm)				
	170-225	PL-Z 50			24.5				
	180-235	PL-Z 60							
	190-250	PL-Z 80			28.5				
	200-260	PL-Z 138			34.2				
实物图	规格		PL-H8 Z8B	实物图	规格		PL-Z19		
	d×D×L(mm)				d×D×L(mm)				
	5-16	13			14-25	16.5			
	6-19	14.5			15-25				
	6.35-20				16-25				
	8-21				17-25				
	10-23	15			18-30				
	11-24	16			19-30	18			
	12-26	18			20-30				
	14-28				22-35				
	15-29				24-35				
	16-30	20			25-35				
	17-31				28-40				
	18-32				30-40	19.5			
	19-33				32-45				
	20-38	24			35-45	21.5			
	22-40				36-45				
	24-42				38-50				
	25-43	25							
		26							

不包含螺丝高度

实物图	规格		PL-Z19	实物图	规格		PL-Z22		
	d×D×L(mm)				d×D×L(mm)				
	40-50	24.5			25-55	60			
	42-55	25.5			28-60				
	45-55				30-60				
	48-60				32-63				
	50-60				35-75	75			
	65-79	38-75							
	70-84	40-75							
实物图	规格		PL-Z19B		42-78			85	
	d×D×L(mm)				45-85				
	14-25	16.5			48-90	100			
	15-25								
	16-25								
	17-25								
	18-30								
	19-30	18			50-90				
	20-30								
	22-35								
	24-35								
	25-35								
	28-40	19.5		55-94					
	30-40								
	32-45								
	35-45								
	36-45								
	38-50	21.5		60-100					
	40-50								
	42-55								
	45-55								
	48-60								
50-60	24.5	65-105							
55-65									
56-68									
60-70									
60-70									
实物图	规格		PL-Z22	70-115	29				
	d×D×L(mm)			75-120					
	15-45	50		80-125		100			
	17-50								
	18-50								
	19-50								
	20-50								
	22-55	60		实物图	规格			PL-Z7B	
	24-55			d×D×L(mm)					
				24-50	18				
				30-60	20				
				36-72	22				
44-80		24							
50-90		26							
55-100		29							
62-110									
68-115									
75-138		31							
80-145		38							
90-155									
100-170									
110-185		43							
125-215		49							
140-230		53							
155-265		58							
165-290		62							
175-300	68								
185-330	85								
195-350									
200-350									

不包含螺丝高度

实物图	规格		PL-Z4	实物图	规格		PL-Z5
	d×D×L(mm)				d×D×L(mm)		
	70-120	62			280-355	126	
	80-130				300-375		
	90-140				320*405	142	
	100*160	340*425			165		
	110-165	360*455					
	120-175	380*495					
	125-195	400*495					
	130-190	420*515					
	140-200	450*555			180		
	150-210	500*605					
	160-230	94			规格		PL-Z9
	170-240				d×D×L(mm)		
	180-250				100-145	75	
	190-260				110-155		
	200-270				120-165		
	210-290	130-180			84		
	220-300	140-190					
	240-320	150-200					
	250-330	160-210					
	260-340	170-225					
	280-370	190-250		94			
	300-390	200-260					
	320-405	220-285					
	规格		PL-Z5		240-305	112	不包含螺丝高度
	d×D×L(mm)				260-325		
	100-145	65	280-355		120		
	110-155		300-375				
	120-165		320-405			142	
	130-180	159					
	140-190						
	150-200						
	160-210						
	170-225	81	360-455				
	180-235		380-475				
	190-250	94	400-495				
	200-260		420-515				
	210-275	104					
	220-285						
	240-305						
	250-315						
	260-325						

实物图	规格		PL-Z14
	d×D×L(mm)		
	14-25	26	
	16-25		
	18-25		
	19-25		
	20-30		
	22-30		
	24-30		
	25-36		
	28-36	28	
	30-36		
	32-42		
	35-42		
	36-42		
	38-44		
	40-48		
	42-48	35	
	45-55		
	48-55		
	50-62		
	55-62		
	60-72		
	65-72		

不包含螺丝高度